

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
6,730 01/10/2005 Kurt Erne 121940		8620		
EXAMINER				
OLIFF & BERRIDGE, PLC		RATCLIFFE, LUKE D		
	ARTINIT	PAPER NUMBER		
ALEXANDRIA, VA 22320		THE DRIVENIE		
		Kurt Erne 121940		

DATE MAILED: 06/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)		
Office Action Summary		10/516,73	30	ERNE ET AL.		
		Examiner	,	Art Unit		
		Luke D. R	atcliffe	3662		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
WHICHEN - Extensions after SIX (6 - If NO perior - Failure to re Any reply re	ENED STATUTORY PERIOD FOR R /ER IS LONGER, FROM THE MAILIN of time may be available under the provisions of 37 Ci) MONTHS from the mailing date of this communication of for reply is specified above, the maximum statutory p exply within the set or extended period for reply will, by exceived by the Office later than three months after the ent term adjustment. See 37 CFR 1.704(b).	IG DATE OF TH FR 1.136(a). In no evo on. period will apply and wi statute, cause the app	IIS COMMUNICATION ent, however, may a reply be tim Il expire SIX (6) MONTHS from lication to become ABANDONEI	l. lely filed the mailing date of this co (35 U.S.C. § 133).		
Status						
2a)∏ This 3)∏ Sind	1) ⊠ Responsive to communication(s) filed on 22 March 2006. 2a) ☐ This action is FINAL. 2b) ⊠ This action is non-final. 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition o	f Claims					
4a) (5)	m(s) <u>1-48</u> is/are pending in the application of the above claim(s) <u>1-24</u> is/are without m(s) <u></u>	drawn from cons				
Application Papers						
10)⊠ The Appl Rep	specification is objected to by the Exadrawing(s) filed on is/are: a) is/are: a) is/are: a) icant may not request that any objection to lacement drawing sheet(s) including the cooath or declaration is objected to by the] accepted or b) o the drawing(s) borrection is require	e held in abeyance. See ed if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CF		
Priority unde	r 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice of D	teferences Cited (PTO-892) traftsperson's Patent Drawing Review (PTO-94)		4) Interview Summary Paper No(s)/Mail Da	te		
	n Disclosure Statement(s) (PTO-1449 or PTO/S s)/Mail Date	SB/08)	5) Notice of Informal Page 6) Other:	atent Application (PTC)-152)	

DETAILED ACTION

Page 2

Response to Arguments

This is a supplemental action that includes the translation for the references cited in the office action (Braunecker (EP1491855) and Ricklefs (DE 19854812)). The period for response has been restarted by the examiner.

Priority

The priority to PCT/EP03/05206 is invalid because the PCT was filed after November 11, 2000 but when published was not published in English.

Acknowledgment is made of applicant's claim for priority under 35 U.S.C. 119(a)-(d) based upon an application filed in Switzerland on 06/07/2002. A claim for priority under 35 U.S.C. 119(a)-(d) cannot be based on said application, since the United States application was filed more than twelve months thereafter.

Drawings

The subject matter of this application admits of illustration by a drawing to facilitate understanding of the invention. Applicant is required to furnish a drawing under 37 CFR 1.81(c). No new matter may be introduced in the required drawing. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d).

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 25, 29, 28, 30, and 37 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The wording of these claims using the word "preferably" or "in particular" leaves these claims vague and indefinite as to what is being claimed.

Claims 26-40 are rejected as well because they all include the limitations of the parent claim.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 25-30, 41, 42, 44, 46-48 are rejected under 35 U.S.C. 102(b) as being anticipated by Braunecker (EP1491855).

Referring to claims 25, 41, 42, and 48, Braunecker shows an optical inclinometer with a radiation source (paragraph 22-28), an inclination—dependant medium (paragraph 22-28), a receptacle for the first medium (paragraph 22-28), a camera (paragraph 22-28), and an evaluation unit for determining the inclination (paragraph 22-28). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (paragraph 22-28), the camera and evaluating unit are formed so that the image

Application/Control Number: 10/516,730

Art Unit: 3662

is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (paragraph 22-28).

Referring to **claim 26**, Braunecker shows an image of the course of at least a part of a substantially flat interface of the first medium is reproduced indirectly or directly on the camera (paragraph 22-28 and figure 1).

Referring to **claim 27**, Braunecker shows a first medium that is a liquid and the interface is a liquid horizon (paragraph 22-28 and figure 2).

Referring to **claim 28**, Braunecker shows a receptacle that is designed as a cylindrical can which is preferably half-full (figure 6 and 7).

Referring to **claim 29**, Braunecker shows a second medium that is a gas, a solid, or a liquid. This is inherent because all matter falls into these categories.

Referring to **claim 30**, Braunecker shows a first and a second medium that have a different transmission coefficient. This is inherent because two separate materials will have a different transmission coefficient.

Referring to **claim 44**, it is inherent that the angle of the first medium and the image and the absolute position of the first medium in the image are taken into account when determining the inclination angle because not doing so would result in an erroneous result.

Referring to **claim 46**, Braunecker shows determination of errors due to temperature effects and/or substance losses of at least the first medium are taken into account, in particular eliminated (paragraph 22-28).

Application/Control Number: 10/516,730 Page 5

Art Unit: 3662

Referring to **claim 47**, it is inherent that when determining the inclination angle of a substantially flat surface a substantially flat image will be produced.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 31-39 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Braunecker (EP1491855) in view of Ricklefs (DE 19854812).

Referring to claim 31, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Ricklefs does not show a first medium that is a pendulum-like solid.

Application/Control Number: 10/516,730

Art Unit: 3662

Ricklefs shows a first medium that is a pendulum-like solid (figure 7a). It would have been obvious to modify Braunecker to include the pendulum-like solid as taught by Ricklefs because this allows for a simple way to level the first medium.

Referring to claim 32, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Braunecker does not show a first medium that is a pendulum-like solid. However he does not show a radiation source that is a semiconductor laser or LED.

Ricklefs shows a radiation source that is a semiconductor laser or LED (figure 6 Ref 11). It would have been obvious to modify Braunecker to include the semiconductor laser or LED taught by Ricklefs because this is a common radiation means used in this application and adds no new or unexpected results.

Referring to **claims 33 and 43**, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source

and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Braunecker does not show a radiation source and camera that are arranged so that the radiation in the region of the first medium is passed substantially parallel to a surface of the first medium.

Ricklefs shows a radiation source and camera that are arranged so that the radiation in the region of the first medium is passed substantially parallel to a surface of the first medium (figure 6 and 7a). It would have been obvious to modify Braunecker to include the direction of the radiation substantially parallel because this allows for a consistent absorption of the radiation by the surface.

Referring to **claim 34**, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However

Braunecker does not show a receptacle that is mounted indirectly or directly on the camera.

Ricklefs shows a receptacle that is mounted directly on the camera (figure 7a). It would have been obvious to modify Braunecker to include the mounting of the receptacle as taught by Ricklefs because this allows the camera to be more rigid with respect to the receptacle.

Referring to claim 35, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Braunecker does not show a first flat transparent surface, and a second transparent surface.

Ricklefs shows a first flat transparent surface, and a second transparent surface, it would have been obvious to modify Braunecker to include the surfaces taught by Ricklefs because this allows the light to be directed to the proper measurement point without disturbance.

Application/Control Number: 10/516,730

Page 9

Art Unit: 3662

Referring to claim 36, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Braunecker does not show a two-dimensional detector surface which is oriented parallel to the first surface and/or to the second surface of the receptacle.

Ricklefs shows a shows a camera that has a two-dimensional detector surface which is oriented parallel to the first surface and/or to the second surface of the receptacle (figure 6). It would have been obvious to include the camera orientation because it is a functional equivalent.

Referring to **claim 37**, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and

Art Unit: 3662

the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Braunecker does not show a radiation source and a camera that are mounted on a common base, preferably a circuit board.

Ricklefs shows a radiation source and a camera that are mounted on a common base, preferably a circuit board (figure 6 and 7a). It would have been obvious to mount the camera and the radiation source in a common base because this allows for a more stable environment to make the measurement when there is a large change in temperature.

Referring to claim 38, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependent medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Braunecker does not show a radiation source and camera that are arranged so that the radiation produced is emitted perpendicularly to the surface of the base and the receiving means of the camera is oriented perpendicularly to the surface of the base.

Application/Control Number: 10/516,730 Page 11

Art Unit: 3662

Ricklefs shows a radiation source and camera that are arranged so that the radiation produced is emitted perpendicularly to the surface of the base and the receiving means of the camera is oriented perpendicularly to the surface of the base (figure 7a). It would have been obvious to modify the base of Braunecker to adapt to the base of Ricklefs because this is a base that allows for the measurement of an object only has to align with the camera and the light source will instantaneously be aligned.

Referring to claim 39, Braunecker shows an optical inclinometer with a radiation source (column 4 line5), an inclination—dependant medium (column 3 line 8), a receptacle for the first medium (column 4 line 21), a camera (column 4 line 21), and an evaluation unit for determining the inclination (column 4 line 23). The radiation source and the camera are arranged such that, by means of the radiation, an image of the course of the boundary layer is formed on the camera (column 4 lines 37-40), the camera and evaluating unit are formed so that the image is recorded by the camera and the course of the interface is resolved and the course of the interface is evaluated by the evaluation unit for determining the inclination (column 4 lines 17-23). However Braunecker does not show a beam path to the radiation source to the camera that has at least one deflecting element.

Ricklefs shows a beam path to the radiation source to the camera that has at least one deflecting element (figure 6 and 7a). This is obvious because of the pervious stipulations on the position of the camera and the light source and adds no new or unexpected results.

Application/Control Number: 10/516,730 Page 12

Art Unit: 3662

Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over

Braunecker (EP1491855).

It would have been obvious to include a signal output on reaching or exceeding a predetermined inclination value, this is the same as a threshold comparator and these are well known in the art and would be obvious to use such an angle measurement

instrument to make a threshold comparator.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Luke D. Ratcliffe whose telephone number is 571-272-

3110. The examiner can normally be reached on 8:00-4:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Thomas Tarcza can be reached on 571-272-6979. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

LDR

LDR

THOMAS H. TARCZA
SUPERVISORY PATENT EXAMINER

Monor A Darry

TECHNOLOGY CENTER 3600